References:

1. A. Doss, M. Pugalenthi, Rajendrakumaran , Phenols, Flavonoids And Antioxidant Activity of Underutilized Legume Seeds, Asian J. Exp. Biol. Sci. ,2010 ,1(3) ,700-705.
2. A. G. Doshi, P. A. Sony, B. J. Ghiya, Synthesis of 2-hydroxychalcones into flavones, Indian Journal of Chemistry, 1986 , 25b ,759.
3. A. Gennaro , Remington Pharmaceutical Sciences, 18th edition, Merk publishing company, Easton, Pennsylvania,1 990, 682.
4. A. K. Ganguly, S. Kaur, P. K. Mahata, D. Biswas, Synthesis and properties of 3-acyl-γ-pyrones, A novel class of flavones and chromones, Tetrahedron Letters, 2005, 46, 4199-4121.
5. Aldrich Advancing Science, Sigma-Aldrich Co. 1000, 1050.
6. A. Bahl, B. S. Bahl, Textbook of organic chemistry,18th edition, S. Chand and Company,New Delhi, 2006,402-403.
7. B. S. Bhujbal, S. S. Chitlange, Anti- inflammatory activity of an isolated flavonoid fraction from *Celosia argentea* Linn., Journal of Medicinal Plants Research, 2008, 2(3), 52-53.
8. C.K. Kokate, A.P. purohit, S.B. Gokhle, Textbook of Pharmacognosy, 35th edition ,Nirali prakashan, Pune, 2006, 231-232.
9. D. O. Bennardi, G.P. Romanelly, J. L. Jios, Synthesis of substituted flavones and chromones using a Wells-Dawson heteropolyacid as catalyst, Arkivoc, 2008, (Xi), 123-130.
10. D. Amil, D. Davidovi-Amil, D. Be, Structure-Radical Scavenging Activity Relationships of Flavonoids, Croatica Chemica Acta , 2003,76 (1), 55-61 .
11. G. W. Kabalka, A. R. Mereddy, A facile microwave synthesis of functionalized flavones and chromones , Tetrahedron Letters, 2005 ,46, 6315-6317.
12. G. J. Giguere, T. L. Bray, S. M. Duncan, Applications of commercial microwave to organic synthesis, Tetrahedron letters, 1986, 27, 4945.
13. I.A. Al-Meshal, M. Tariq, N.S. Parmar , A.M. Ageel, Anti-Inflammatory Activity of the Flavonoid Fraction of Khat (Catha Edulis Forsk), Agents And Actions, 1985, 17, 3/4.
14. J. I. Lee, H. S. Son, H. Park, Efficient synthesis of flavones from 2-hydroxybenzoic acids, Bull. Korean Chem. Soc., 2004, 25(12), 1945-1947.
15. J.march, Advanced Organic chemistry ,reaction mechanism and structure ,Wiley-Interscience Publication , 2004, 937-942.

16. J. R. Dyer (Eds.), Application of Absorption of organic compounds, 1st Edition Printice Hall India Pvt Ltd, New Delhi, 2005, Pp. 33-51, 79-80, 89, 93, 104, 112.
17. L. Zou ,X.Juan, Y. Lian Liu, Synthesis of 4'-methoxyflavone ,Chinese Chemical Letters, 2000, 11(7), 565-566.
18. K. Patil, S. Bhujbal, S. Chaturvedi , Anti-inflammatory activity of various extracts Celosia argentea Lin, Ind.J.Pharm. Sci., 2003, 645-647.
19. L. Tang, S. Zhang, J. Yang, Synthesis of 6-amino-7-hydroxyflavone, Molecules, 2004, 9, 842-848.
20. M. Taylor, B. A. Singh, Developments in Microwave Chemistry, Evaluserve, 2005, 30, 3.
21. M. Manuela, R. S. Marta, Structure-antioxidant activity relationships of flavonoids : A Re-examination, Free Radical Research, 2002 , 36 (11), 1219–1227.
22. M. Marder, J. Zinczuk, M. Colombo, Synthesis of halogenated/nitrated flavone derivatives and evaluation of their affinity for central benzodiazepine receptor, Bioorganic & Medicinal Chemistry Letters, 1997, 7(15) , 2003-2008
23. O. Orsolya , J. Judit, J. Károly, Quantitative Structure – Antioxidant Activity Relationships of Flavonoid Compounds, Molecules , 2004, *9*, 1079-1088.
24. O.V. Owoyele, S. O. Oguntoye, Analgesic, anti-inflammatory and antipyretic activities from flavonoid fractions of *Chromolaena odorata,* Journal of Medicinal Plants Research, 2008, 2(9), 219-225.
25. P. Pourmorad, S. J. Hosseinimehr, Antioxidant activity, phenol and flavonoid contents of some selected Iranian medicinal plants, African Journal of Biotechnology, 2006, 5(11), 1142-1145.
26. P. D. Lokhande, S. S. Sakate, K. N. Taksande, B. Navghare, DMSO-I_2 catalysed deprotection of 2'-allyloxychalcones, Tetrahedron Letters, 2005, 46, 1573-1574.
27. R. A. Wiley; Insulin and Oral Hypoglycemic drugs, In Foye's Principle of Medicinal Chemistry, William David A,and Lemke L, Thomas (Eds.); Lippincott Williams and Wilkins, 5th Edition, 2002, Pp. 629-652.
28. S. Caddick .Microwave Assisted Organic Reactions, Tetrahedron Letters; 1955; 51; 38, 10403-10432
29. S. R. Sarda, M. Y. Pathan, V. V. Paike, A facile synthesis of flavones using recyclable ionic liquid under microwave irradiation, Arkivoc, 2006,(Xvi),43-48.
30. S. B. Abdel Ghani, L. Weaver, Microwave-assisted synthesis and antimicrobial activities of flavonoid derivatives, Bioorganic & Medicinal Chemistry Letters ,2008 ,18, 518–522.

31. T. R. Tapas, D. M. Sakarkar, R. B. Kakde, Flavonoids as Nutraceuticals: A Review, Tropical Journal of Pharmaceutical Research, September 2008,7 (3),1089-1099.
32. V. K. Ahluwalia, R. Aggrawal, Organic synthesis special techniques, Naros Publishing House, (2001), 1-68.
33. V. Lokshin, A. Heynderickx, A. Samat, New and facile synthesis of 3-styrylflavones, Tetrahedron Letters, 1999, 40, 6761-6764.
34. Www. MAOS. NET
35. X. Zhang, W. Meng, F. Qing, Synthesis of gem-difluoromethylenated biflavonoid via the Suzuki coupling reaction, Tetrahedron Letters ,2004, 45, 8083-8085.